THINKING WITH SCIENCE Observation Quiz Lesson 3, The Bubbly Liquid 1. Besides the experimental group, what other group is always a part of a properly designed experiment? A. manipulated B. control C. scientific D. valid 2. Why should there be only one manipulated variable in any experiment? Otherwise: A. the conclusion wouldn't be valid B. you wouldn't know what caused the result C. both of the above. D. neither of the above. 3. What is the control question for the question, "Does A contain any water?" A. Does A contain anything else? C. Does B contain anything else? C. Does B contain anything else? 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
THINKING WITH SCIENCE Observation Quiz Lesson 3, The Bubbly Liquid 1. Besides the experimental group, what other group is always a part of a properly designed experiment? A. manipulated B. control C. scientific D. valid 2. Why should there be only one manipulated variable in any experiment? Otherwise: A. the conclusion wouldn't be valid B. you wouldn't know what caused the result C. both of the above. D. neither of the above. 3. What is the control question for the question, "Does A contain any water?" A. Does A contain only water? B. Does A contain anything else? C. Does B contain any water? D. Does B contain anything else? 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
Observation Quiz Lesson 3, The Bubbly Liquid 1. Besides the experimental group, what other group is always a part of a properly designed experiment? A. manipulated B. control C. scientific D. valid 2. Why should there be only one manipulated variable in any experiment? Otherwise: A. the conclusion wouldn't be valid B. you wouldn't know what caused the result C. both of the above. D. neither of the above. 3. What is the control question for the question, "Does A contain any water?" A. Does A contain only water? B. Does A contain anything else? C. Does B contain any water? D. Does B contain any water? D. Does B contain anything else? 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
Lesson 3, The Bubbly Liquid 1. Besides the experimental group, what other group is always a part of a properly designed experiment? A. manipulated B. control C. scientific D. valid 2. Why should there be only one manipulated variable in any experiment? Otherwise: A. the conclusion wouldn't be valid B. you wouldn't know what caused the result C. both of the above. D. neither of the above. 3. What is the control question for the question, "Does A contain any water?" A. Does A contain only water? B. Does A contain anything else? C. Does B contain any water? D. Does B contain anything else? 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
 Besides the experimental group, what other group is always a part of a properly designed experiment? A. manipulated B. control C. scientific D. valid Why should there be only one manipulated variable in any experiment? Otherwise: A. the conclusion wouldn't be valid B. you wouldn't know what caused the result C. both of the above. D. neither of the above. What is the control question for the question, "Does A contain any water?" A. Does A contain only water? B. Does A contain anything else? C. Does B contain any water? D. Does B contain anything else? How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol Before you put yeast in water, it is
designed experiment? A. manipulated B. control C. scientific D. valid 2. Why should there be only one manipulated variable in any experiment? Otherwise: A. the conclusion wouldn't be valid B. you wouldn't know what caused the result C. both of the above. D. neither of the above. 3. What is the control question for the question, "Does A contain any water?" A. Does A contain only water? B. Does A contain anything else? C. Does B contain any water? D. Does B contain anything else? 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
designed experiment? A. manipulated B. control C. scientific D. valid 2. Why should there be only one manipulated variable in any experiment? Otherwise: A. the conclusion wouldn't be valid B. you wouldn't know what caused the result C. both of the above. D. neither of the above. 3. What is the control question for the question, "Does A contain any water?" A. Does A contain only water? B. Does A contain anything else? C. Does B contain any water? D. Does B contain anything else? 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
A. manipulated B. control C. scientific D. valid 2. Why should there be only one manipulated variable in any experiment? Otherwise: A. the conclusion wouldn't be valid B. you wouldn't know what caused the result C. both of the above. D. neither of the above. 3. What is the control question for the question, "Does A contain any water?" A. Does A contain only water? B. Does A contain anything else? C. Does B contain anything else? D. Does B contain anything else? 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
B. control C. scientific D. valid 2. Why should there be only one manipulated variable in any experiment? Otherwise: A. the conclusion wouldn't be valid B. you wouldn't know what caused the result C. both of the above. D. neither of the above. 3. What is the control question for the question, "Does A contain any water?" A. Does A contain only water? B. Does A contain anything else? C. Does B contain any water? D. Does B contain anything else? 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
C. scientific D. valid 2. Why should there be only one manipulated variable in any experiment? Otherwise: A. the conclusion wouldn't be valid B. you wouldn't know what caused the result C. both of the above. D. neither of the above. 3. What is the control question for the question, "Does A contain any water?" A. Does A contain only water? B. Does A contain anything else? C. Does B contain any water? D. Does B contain anything else? 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
 D. valid Why should there be only one manipulated variable in any experiment? Otherwise: A. the conclusion wouldn't be valid B. you wouldn't know what caused the result C. both of the above. D. neither of the above. What is the control question for the question, "Does A contain any water?"
 Why should there be only one manipulated variable in any experiment? Otherwise: A. the conclusion wouldn't be valid B. you wouldn't know what caused the result C. both of the above. D. neither of the above. What is the control question for the question, "Does A contain any water?" A. Does A contain only water? B. Does A contain anything else? C. Does B contain any water? D. Does B contain anything else? How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol Before you put yeast in water, it is
A. the conclusion wouldn't be valid B. you wouldn't know what caused the result C. both of the above. D. neither of the above. 3. What is the control question for the question, "Does A contain any water?" A. Does A contain only water? B. Does A contain anything else? C. Does B contain any water? D. Does B contain anything else? 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
A. the conclusion wouldn't be valid B. you wouldn't know what caused the result C. both of the above. D. neither of the above. 3. What is the control question for the question, "Does A contain any water?" A. Does A contain only water? B. Does A contain anything else? C. Does B contain any water? D. Does B contain anything else? 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
B. you wouldn't know what caused the result C. both of the above. D. neither of the above. 3. What is the control question for the question, "Does A contain any water?" A. Does A contain only water? B. Does A contain anything else? C. Does B contain any water? D. Does B contain anything else? 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
C. both of the above. D. neither of the above. 3. What is the control question for the question, "Does A contain any water?" A. Does A contain only water? B. Does A contain anything else? C. Does B contain any water? D. Does B contain anything else? 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
D. neither of the above. 3. What is the control question for the question, "Does A contain any water?" A. Does A contain only water? B. Does A contain anything else? C. Does B contain any water? D. Does B contain anything else? 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
 A. Does A contain only water? B. Does A contain anything else? C. Does B contain any water? D. Does B contain anything else? 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
 A. Does A contain only water? B. Does A contain anything else? C. Does B contain any water? D. Does B contain anything else? 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
B. Does A contain anything else? C. Does B contain any water? D. Does B contain anything else? 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
C. Does B contain any water? D. Does B contain anything else? 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
D. Does B contain anything else? 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
 4. How could you tell that the JAR liquid wasn't the manipulated variable? A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
A. because they were different B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
B because they were the same C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
C. because they didn't contain any yeast D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
D. because they didn't contain any alcohol 5. Before you put yeast in water, it is
5. Before you put yeast in water, it is
A. dormant
B. dead
C. active
D. a liquid
6. What does the Latin word "dormir" mean?
A. sleep
B. eat
C. grow
D. none of the above

, it is any out to account to a contract to the pupper of the date,
A. valid
B. refuted
C. false
D. unreliable
en de la companya de La companya de la co
8. The word that means "to prove a conclusion false" is:
A. validate
B. refute
C. justify
D. support
9. The bubbles coming from bottle B contain:
A. carbon monoxide
B. carbon dioxide
C. carbon sulfide
D. carbon chloride
10. The word "yeast" above the arrow in the chemical reaction means:
A. the yeasts are alive
B. the yeasts are causing the reaction
C. the yeasts are dead
D. the yeasts are smart
11. Each hole in a slice of bread indicates the location of:
A. a carbon dioxide bubble
B. a starch molecule
 C. a sugar molecule
D. all of the above
12. All types of alcohol:
A. take away pain
B. explode
C. kill brain cells
D. all of the above
13. The alcohol contained in beer and wine is:
A. methyl
B. ethyl
C. isopropyl
D. deadly
14. One of the main symptoms of brain damage from alcohol is:
A. stumbling
B. memory loss
C. laughing
D. none of the above

7. What adjective describes a conclusion that is supported by the data?

Students's Name ANSWER Key

OBSERVATION QUIZ FOR "THINKING WITH SCIENCE"

Quiz Number _

Quiz for Lesson								
1.	A	(B)	c	D	E			
2.	A	В	(c)	D	E			
3.	A	В	0	D	E			
4.	A	B	C	D	E			
5.	(A)	В	C	D	E			
6.		В	C	D	E			
7.		В	C	D	E			
8.	A	(B)	Ċ	D	E			
9.	A	(B)	c	D	E			
10.	A	B	C.	Ď	E			
11.		В	C	D	E			
12.	A	В	0	D	E			
13.	A	(B)	C	D	E			
14.	. A	B	С	D	E			
15.	A	В	C	D	E			
16.	A	В	C	D	E			
17.	A	В	C	D.	E			
18.	A	В	C	D	E			
19,	A	В	C	D	E			

20.